



## Punctureseal Dosage chart All Terrain Vehicles

For other vehicle types, please visit [www.punctureseal.com/technical.html](http://www.punctureseal.com/technical.html)

Rim Size	Tyre Designation	Commercial Units	Commercial Litres	XHD Units	XHD Litres
7" Rims	AT16x8-7	13	0.38	16	0.46
	AT18x7-7	13	0.38	16	0.46
	AT18x8-7	14	0.41	17	0.49
8" Rims	215/60-8	15	0.44	18	0.53
	460/165-8	12	0.35	14	0.42
	400/140-8	9	0.27	11	0.32
	AT16x6-8	10	0.30	12	0.36
	AT16x6.50-8	10	0.30	12	0.36
	AT16x7.50-8	12	0.35	14	0.42
	AT18x5.50-8	10	0.30	12	0.36
	AT18x7-8	13	0.38	16	0.46
	AT18x8.5-8	15	0.44	18	0.53
	AT18x9-8	16	0.47	19	0.56
	AT18x9.5-8	17	0.50	20	0.60
	AT18x10-8	18	0.53	22	0.64
	AT18x11-8	20	0.59	24	0.71
	AT19x8-8	15	0.44	18	0.53
	AT19x9-8	17	0.50	20	0.60
	AT20x7-8	14	0.41	17	0.49
	AT20x8-8	15	0.44	18	0.53
	AT20x9-8	18	0.53	22	0.64
	AT20x9.5-8	16	0.47	19	0.56
	AT20x10-8	21	0.62	25	0.74
	AT20x11-8	16	0.47	19	0.56
	AT21x7-8	15	0.44	18	0.53
	AT21x9-8	19	0.56	23	0.67
	AT21x11-8	23	0.68	28	0.82
	AT21x12-8	25	0.74	30	0.89
	AT21x12.5-8	28	0.83	34	1.00
	AT22x9-8	20	0.59	24	0.71
AT22x10-8	22	0.65	26	0.78	
AT22x11-8	24	0.71	29	0.85	

9" Rims	AT22x12-8	24	0.71	29	0.85
	AT22.5x10-8	21	0.62	25	0.74
	AT23x10-8	23	0.68	28	0.82
	AT18x11-9	20	0.59	24	0.71
	AT20x7-9	14	0.41	17	0.49
	AT20x10-9	20	0.59	24	0.71
	AT20x11-9	22	0.65	26	0.78
	AT21x7-9	14	0.41	17	0.49
	AT21x8-9	17	0.50	20	0.60
	AT21x11-9	23	0.68	28	0.82
	AT21x12.5-9	27	0.80	32	0.96
	AT22x7-9	15	0.44	18	0.53
	AT22x8-9	18	0.53	22	0.64
	AT22x10-9	22	0.65	26	0.78
	AT22x11-9	24	0.71	29	0.85
	AT23x11-9	25	0.74	30	0.89
	AT23x12-9	28	0.83	34	1.00
	AT24x11-9	27	0.80	32	0.96
AT24x13-9	31	0.92	37	1.10	
AT25x11-9	28	0.83	34	1.00	
AT25x12-9	30	0.89	36	1.07	
AT25x13-9	31	0.92	37	1.10	
10" Rims	205/50-10	15	0.44	18	0.53
	255/50-10	20	0.59	24	0.71
	AT18x9.5-10	17	0.50	20	0.60
	AT18x10-10	18	0.53	22	0.64
	AT18x11-10	20	0.59	24	0.71
	AT19x6-10	12	0.35	14	0.42
	AT20x7-10	14	0.41	17	0.49
	AT20x8-10	16	0.47	19	0.56
	AT20x10-10	20	0.59	24	0.71
	AT20x11-10	22	0.65	26	0.78
	AT21x7-10	15	0.44	18	0.53
	AT21x10-10	21	0.62	25	0.74
	AT21x12.5-10	25	0.74	30	0.89
	AT22x7-10	15	0.44	18	0.53
	AT22x8-10	18	0.53	22	0.64
	AT22x9-10	20	0.59	24	0.71
	AT22x10-10	22	0.65	26	0.78
	AT22x11-10	24	0.71	29	0.85
	AT23x7-10	16	0.47	19	0.56
	AT23x8-10	18	0.53	22	0.64
	AT23x10-10	23	0.68	28	0.82
	AT23x11-10	25	0.74	30	0.89

	AT24x11-10	27	0.80	32	0.96
	AT24x12-10	27	0.80	32	0.96
	AT25x8-10	20	0.59	24	0.71
	AT25x11-10	28	0.83	34	1.00
	AT25x12-10	30	0.89	36	1.07
	AT26x12-10	31	0.92	37	1.10
	27x12-10	32	0.95	38	1.14
<b>11" Rims</b>					
	AT22x7-11	15	0.44	18	0.53
	AT23x8-11	18	0.53	22	0.64
	AT24x8-11	19	0.56	23	0.67
	AT24x9-11	21	0.62	25	0.74
	AT24x10-11	24	0.71	29	0.85
	AT25x9-11	22	0.65	26	0.78
	AT25x10-11	25	0.74	30	0.89
<b>12" Rims</b>					
	205/30-12	14	0.41	17	0.49
	215/35-12	15	0.45	18	0.54
	215/40-12	16	0.47	19	0.56
	215/50-12	17	0.50	20	0.60
	255/50-12	22	0.65	26	0.78
	205/90-12	21	0.62	25	0.74
	255/70-12	26	0.77	31	0.92
	18x8.5-12	15	0.44	18	0.53
	22x10-12	22	0.65	26	0.78
	AT23x8-12	18	0.53	22	0.64
	AT23x10-12	23	0.68	28	0.82
	23x10.5-12	24	0.71	29	0.85
	AT24x8-12	19	0.56	23	0.67
	AT24x9-12	22	0.65	26	0.78
	AT24x11-12	26	0.77	31	0.92
	AT25x8-12	20	0.59	24	0.71
	AT25x10-12	25	0.74	30	0.89
	AT25x11-12	28	0.83	34	1.00
	26x8-12	21	0.62	25	0.74
	26x9-12	23	0.68	28	0.82
	AT26x10-12	26	0.77	31	0.92
	AT26x11-12	29	0.86	35	1.03
	AT26x12-12	31	0.92	37	1.10
	AT27x9-12	24	0.71	29	0.85
	27x9.5-12	26	0.77	31	0.92
	AT27x11-12	30	0.89	36	1.07
	AT27x12-12	32	0.95	38	1.14
	AT28x9.5-12	27	0.80	32	0.96
<b>13" Rims</b>					
	205/30-13	14	0.41	17	0.49

14" Rims	AT25x8-13	20	0.59	24	0.71
	23x10-14	23	0.68	28	0.82
	AT26x8-14	21	0.62	25	0.74
	AT26x9-14	23	0.68	28	0.82
	AT26x10-14	26	0.77	31	0.92
	AT26x11-14	29	0.86	35	1.03
	AT26x12-14	31	0.92	37	1.10
	AT27x11-14	30	0.89	36	1.07