

Punctureseal Dosage chart Passenger vehicles and vans

For other vehicle types, please visit www.punctureseal.com/technical.html

Rim Size	Tyre Designation	Commercial Units	Commercial Litres	XHD Units	XHD Litres
10" Rims					
	135/95-10LT	8	0.24	10	0.29
	145/95-10LT	9	0.27	11	0.32
	135/80-10	7	0.21	8	0.25
	145/80-10	8	0.24	10	0.29
	165/70-10	9	0.27	11	0.32
	155/65-10LT	8	0.24	10	0.29
	145-10LT	8	0.24	10	0.29
	5.00-10LT	8	0.24	10	0.29
	5.20-10	7	0.21	8	0.25
12" Rims					
	135/95-12LT	8	0.25	10	0.30
	145/95-12LT	9	0.28	11	0.34
	135/80-12	8	0.24	10	0.29
	P145/80R12	9	0.27	11	0.32
	P155/80R12	10	0.30	12	0.36
	145/70-12	8	0.24	10	0.29
	155/70-12	9	0.27	11	0.32
	P165/70(R, D)12	10	0.30	12	0.36
	175/70-12	11	0.33	13	0.40
	155/65-12	9	0.27	11	0.32
	165/60-12	10	0.30	12	0.36
	145-12LT	9	0.27	11	0.32
	155R12	10	0.30	12	0.36
	155-12LT	10	0.30	12	0.36
	5.50-12	9	0.27	11	0.32
	5.65-12	9	0.27	11	0.32
13" Rims					
	155/95-13LT	11	0.32	13	0.38
	165/95-13LT	12	0.35	14	0.42
	T105/80-13	6	0.19	7	0.23
	T125/80-13	8	0.23	10	0.28
	135/80-13	8	0.24	10	0.29
	P145/80(R, D)13	9	0.27	11	0.32

P155/80R13	10	0.30	12	0.36
P165/80R13	11	0.33	13	0.40
P175/80R13	12	0.35	14	0.42
P185/80R13	13	0.38	16	0.46
P165/75(R, D)13	11	0.33	13	0.40
P175/75(R, D)13	12	0.35	14	0.42
P185/75(R, D)13	12	0.35	14	0.42
145/70R13	9	0.27	11	0.32
P155/70R13	10	0.30	12	0.36
P165/70R13	11	0.33	13	0.40
P175/70R13	11	0.33	13	0.40
P185/70R13	12	0.35	14	0.42
P195/70R13	13	0.38	16	0.46
P205/70R13	14	0.41	17	0.49
145/65-13	9	0.27	11	0.32
155/65-13	9	0.27	11	0.32
P165/65R13	10	0.30	12	0.36
175/65-13	11	0.33	13	0.40
185/65-13	12	0.35	14	0.42
P195/65R13	13	0.38	16	0.46
155/60-13	9	0.27	11	0.32
165/60-13	10	0.30	12	0.36
175/60-13	11	0.33	13	0.40
P185/60R13	12	0.35	14	0.42
P195/60R13	13	0.38	16	0.46
P205/60R13	13	0.38	16	0.46
P215/60R13	14	0.41	17	0.49
P235/60R13	16	0.47	19	0.56
185/55-13	10	0.30	12	0.36
195/55-13	12	0.35	14	0.42
175/50-13	10	0.30	12	0.36
215/50-13	14	0.41	17	0.49
145R13	9	0.27	11	0.32
155R13, (LT)	10	0.30	12	0.36
165R13, (LT)	11	0.33	13	0.40
175R13	12	0.35	14	0.42
5.50-13LT	10	0.30	12	0.36
5.60-13	10	0.30	12	0.36
6.00-13LT	12	0.35	14	0.42
6.15-13	10	0.30	12	0.36
6.45-13	11	0.33	13	0.40
7.00-13	13	0.38	16	0.46
13.5" Rims				
175/60-13.5LT	11	0.33	13	0.40
14" Rims				
165/95-14LT	12	0.36	14	0.43

175/95-14LT	14	0.40	17	0.48
T135/80-14	8	0.25	10	0.30
145/80-14	9	0.27	11	0.32
P165/80(R, D)14	11	0.33	13	0.40
P175/80(R, D)14	13	0.38	16	0.46
P185/80(R, D)14	13	0.38	16	0.46
195/80-14	15	0.44	18	0.53
205/80-14	15	0.44	18	0.53
165/75R14	11	0.33	13	0.40
(P, LT)175/75R14	12	0.35	14	0.42
(P, LT)185/75R14	13	0.38	16	0.46
(P, LT)195/75R14	14	0.41	17	0.49
P205/75R14	15	0.44	18	0.53
(P, LT)215/75R14	16	0.47	19	0.56
P225/75R14	17	0.50	20	0.60
T105/70-14	6	0.18	7	0.22
T115/70-14	7	0.21	8	0.25
T125/70-14	7	0.21	8	0.25
165/70-14	11	0.33	13	0.40
P175/70R14	12	0.35	14	0.42
P185/70R14	13	0.38	16	0.46
P195/70R14	14	0.41	17	0.49
(P, LT)205/70R14	15	0.44	18	0.53
(P, LT)215/70R14	16	0.47	19	0.56
P225/70R14	17	0.50	20	0.60
P235/70R14	18	0.53	22	0.64
P245/70R14	19	0.56	23	0.67
155/65R14	10	0.30	12	0.36
P165/65R14	11	0.33	13	0.40
P175/65R14	11	0.33	13	0.40
P185/65R14	13	0.38	16	0.46
P195/65R14	14	0.41	17	0.49
205/65-14	14	0.41	17	0.49
P215/65R14	16	0.47	19	0.56
165/60R14	10	0.30	12	0.36
P175/60R14	11	0.33	13	0.40
P185/60R14	12	0.35	14	0.42
P195/60R14	13	0.38	16	0.46
P205/60R14	14	0.41	17	0.49
P215/60R14	15	0.44	18	0.53
P225/60R14	16	0.47	19	0.56
P235/60R14	17	0.50	20	0.60
P245/60R14	18	0.53	22	0.64
P255/60R14	19	0.56	23	0.67
P265/60R14	20	0.59	24	0.71
P275/60R14	21	0.62	25	0.74

155/55-14	9	0.27	11	0.32
165/55-14	10	0.30	12	0.36
185/55-14	12	0.35	14	0.42
195/55-14	13	0.38	16	0.46
P205/55R14	14	0.41	17	0.49
P255/55R14	19	0.56	23	0.67
245/50R14	17	0.50	20	0.60
265/50R14	19	0.56	23	0.67
145R14	10	0.30	12	0.36
155R14	11	0.33	13	0.40
165R14, (LT)	12	0.35	14	0.42
175R14, (LT)	13	0.38	16	0.46
185R14, (LT)	14	0.41	17	0.49
195-14LT	15	0.44	18	0.53
205R14	16	0.47	19	0.56
5.5-14LT	11	0.33	13	0.40
6.00-14LT	13	0.38	16	0.46
6.40-14	12	0.35	14	0.42
6.45-14	12	0.35	14	0.42
6.50-14LT	14	0.41	17	0.49
6.95-14	13	0.38	16	0.46
7.00-14LT	14	0.41	17	0.49
7.90-14LT	15	0.44	18	0.53
8.00-14	16	0.47	19	0.56
8.50-14LT	16	0.47	19	0.56
11.00-14LT	23	0.68	28	0.82
26x8.50R14LT	16	0.47	19	0.56
27x8.50R14LT	16	0.47	19	0.56
14.5" Rims				
205/60-14.5LT	14	0.41	17	0.49
7.00-14.5LT	14	0.41	17	0.49
8-14.5LT	16	0.47	19	0.56
9-14.5LT	19	0.56	23	0.67
15" Rims				
T125/90-15	9	0.27	11	0.32
T135/90-15	9	0.27	11	0.32
T125/80-15	8	0.24	10	0.29
T135/80-15	9	0.27	11	0.32
P155/80(R, D)15	11	0.33	13	0.40
P165/80(R, D)15	12	0.35	14	0.42
175/80-15, (LT)	13	0.38	16	0.46
185/80-15LT	14	0.41	17	0.49
P195/80(R, D)15	15	0.44	18	0.53
LT215/80R15	17	0.50	20	0.60
225/80-15	18	0.53	22	0.64
185/75-15LT	13	0.38	16	0.46

(P, LT)195/75R15	15	0.44	18	0.53
(P, LT)205/75R15	16	0.47	19	0.56
(P, LT)215/75R15	17	0.50	20	0.60
(P, LT)225/75R15	18	0.53	22	0.64
(P, LT)235/75R15	19	0.56	23	0.67
P245/75R15	21	0.62	25	0.74
LT255/75-15	22	0.65	26	0.78
(P, LT)265/75R15	23	0.68	28	0.82
T115/70-15	7	0.21	8	0.25
T125/70-15	8	0.24	10	0.29
T135/70-15	9	0.27	11	0.32
P175/70R15	12	0.35	14	0.42
P185/70R15	13	0.38	16	0.46
P195/70R15, (LT)	15	0.44	18	0.53
P205/70R15, (LT)	16	0.47	19	0.56
P215/70R15	17	0.50	20	0.60
P225/70R15	18	0.53	22	0.64
P235/70R15	19	0.56	23	0.67
(P, LT)245/70R15	20	0.59	24	0.71
(P, LT)255/70R15	21	0.62	25	0.74
(P, LT)265/70R15	23	0.68	28	0.82
P275/70R15	24	0.71	29	0.85
(P, LT)285/70R15	25	0.74	30	0.89
P305/70-15	28	0.83	34	1.00
LT315/70R15	30	0.89	36	1.07
145/65R15	9	0.27	11	0.32
165/65R15	11	0.33	13	0.40
P175/65R15	12	0.35	14	0.42
P185/65R15	13	0.38	16	0.46
P195/65R15	14	0.41	17	0.49
P205/65R15	15	0.44	18	0.53
P215/65R15	16	0.47	19	0.56
225/65-15	17	0.50	20	0.60
P235/65R15	18	0.53	22	0.64
LT245/65-15	19	0.56	23	0.67
P255/65R15	21	0.62	25	0.74
P295/65R15	25	0.74	30	0.89
135/60R15	8	0.24	10	0.29
155/60R15	10	0.30	12	0.36
165/60R15	11	0.33	13	0.40
175/60R15	11	0.33	13	0.40
P180/60R15	12	0.35	14	0.42
P185/60R15	13	0.38	16	0.46
P195/60R15	13	0.38	16	0.46
P205/60R15	15	0.44	18	0.53
P215/60R15	16	0.47	19	0.56

P225/60R15	17	0.50	20	0.60
P235/60R15	18	0.53	22	0.64
P245/60R15	19	0.56	23	0.67
P255/60R15	20	0.59	24	0.71
P265/60R15	21	0.62	25	0.74
P275/60R15	22	0.65	26	0.78
P295/60R15	24	0.71	29	0.85
P315/60R15	27	0.80	32	0.96
LT325/60R15	28	0.83	34	1.00
165/55R15	10	0.30	12	0.36
175/55R15	11	0.33	13	0.40
185/55R15	13	0.38	16	0.46
P195/55R15	13	0.38	16	0.46
P205/55R15	14	0.41	17	0.49
215/55-15	15	0.44	18	0.53
P225/55R15	16	0.47	19	0.56
P255/55R15	19	0.56	23	0.67
275/55-15	22	0.65	26	0.78
295/55-15	24	0.71	29	0.85
P345/55R15	30	0.89	36	1.07
165/50-15	10	0.30	12	0.36
175/50-15	11	0.33	13	0.40
185/50R15	12	0.35	14	0.42
195/50-15	12	0.35	14	0.42
205/50-15	13	0.38	16	0.46
215/50-15	15	0.44	18	0.53
225/50-15	16	0.47	19	0.56
245/50-15	18	0.53	22	0.64
265/50-15	20	0.59	24	0.71
275/50-15	21	0.62	25	0.74
295/50-15	23	0.68	28	0.82
305/50-15	24	0.71	29	0.85
325/50-15	26	0.77	31	0.92
125R15	8	0.24	10	0.29
135R15	9	0.27	11	0.32
155R15	11	0.33	13	0.40
165R15	12	0.35	14	0.42
165-15LT	12	0.35	14	0.42
195-15LT	15	0.44	18	0.53
205-15LT	16	0.47	19	0.56
215-15LT	17	0.50	20	0.60
5.60-15	10	0.30	12	0.36
6.00-15LT	13	0.38	16	0.46
6.50-15LT	15	0.44	18	0.53
6.70-15LT	15	0.44	18	0.53
7.00-15LT	17	0.50	20	0.60

7.10-15LT	16	0.47	19	0.56
7.50-15LT	20	0.59	24	0.71
9.00-15LT	21	0.62	25	0.74
10R15LT	16	0.47	19	0.56
11.00-15LT	24	0.71	29	0.85
12.00-15LT	29	0.86	35	1.03
12.10-15	31	0.92	37	1.10
L78-15LT	20	0.59	24	0.71
28x8.5-15	17	0.50	20	0.60
29x9.50R15LT	19	0.56	23	0.67
30x9.50R15LT	20	0.59	24	0.71
31x10.50R15LT	23	0.68	28	0.82
31x11.50R15LT	25	0.74	30	0.89
31x12.50R15LT	27	0.80	32	0.96
32x11.50R15LT	26	0.77	31	0.92
32x12.5-15LT	31	0.92	37	1.10
33x9.50R15LT	22	0.65	26	0.78
33x10.50R15LT	25	0.74	30	0.89
33x12.50R15LT	29	0.86	35	1.03
33x15.50R15LT	36	1.06	43	1.27
35x12.50R15LT	31	0.92	37	1.10
35x13.50R15LT	34	1.01	41	1.21
36x14.50R15LT	37	1.09	44	1.31
36x15.50R15LT	39	1.15	47	1.38
37x12.50R15LT	33	0.98	40	1.18
37x13.50R15LT	36	1.06	43	1.27
37x14.50-15	38	1.12	46	1.34
38x15.50R15LT	41	1.21	49	1.45
15.5" Rims				
185/70-15.5LT	13	0.38	16	0.46
195/70-15.5LT	15	0.44	18	0.53
215/60-15.5LT	15	0.44	18	0.53
16" Rims				
T125/90-16	9	0.27	11	0.32
T135/90-16	10	0.30	12	0.36
T145/90-16	11	0.33	13	0.40
T155/90-16	12	0.35	14	0.42
185/85-16LT	15	0.44	18	0.53
195/85-16LT	16	0.47	19	0.56
205/85-16LT	17	0.50	20	0.60
LT215/85R16	19	0.56	23	0.67
225/85-16LT	20	0.59	24	0.71
LT235/85R16	21	0.62	25	0.74
LT255/85R16	24	0.71	29	0.85
T125/80-16	9	0.27	11	0.32
T135/80-16	9	0.27	11	0.32

T145/80-16	10	0.30	12	0.36
(P, T)155/80-16	11	0.33	13	0.40
175/80-16	13	0.38	16	0.46
195/80-16	16	0.47	19	0.56
205/80-16	17	0.50	20	0.60
215/80-16	18	0.53	22	0.64
235/80-16	20	0.59	24	0.71
LT325/80-16	33	0.98	40	1.18
185/75-16	14	0.41	17	0.49
195/75-16	15	0.44	18	0.53
205/75-16	16	0.47	19	0.56
P215/75R16	17	0.50	20	0.60
(P, LT)225/75R16	18	0.53	22	0.64
P235/75R16	20	0.59	24	0.71
(P, LT)245/75R16	21	0.62	25	0.74
(P, LT)265/75R16	24	0.71	29	0.85
LT285/75R16	27	0.80	32	0.96
LT295/75R16	28	0.83	34	1.00
LT315/75R16	31	0.92	37	1.10
LT345/75R16	35	1.04	42	1.25
LT365/75R16	39	1.15	47	1.38
T115/70-16	8	0.24	10	0.29
T125/70-16	8	0.24	10	0.29
T135/70-16	9	0.27	11	0.32
195/70-16LT	15	0.44	18	0.53
205/70-16, (LT)	16	0.47	19	0.56
(P, LT)215/70R16	17	0.50	20	0.60
(P, LT)225/70R16	18	0.53	22	0.64
(P, LT)235/70R16	20	0.59	24	0.71
(P, LT)245/70R16	21	0.62	25	0.74
(P, LT)255/70R16	22	0.65	26	0.78
(P, LT)265/70R16	24	0.71	29	0.85
(P, LT)275/70R16	25	0.74	30	0.89
LT285/70-16	26	0.77	31	0.92
LT305/70R16	29	0.86	35	1.03
LT315/70R16	30	0.89	36	1.07
LT335/70-16	33	0.98	40	1.18
LT355/70-16	36	1.06	43	1.27
LT365/70-16	38	1.12	46	1.34
LT385/70-16	41	1.21	49	1.45
LT395/70-16	43	1.27	52	1.52
185/65-16	14	0.41	17	0.49
195/65-16LT	14	0.41	17	0.49
(P, LT)205/65R16	16	0.47	19	0.56
P215/65R16	17	0.50	20	0.60
P225/65R16	18	0.53	22	0.64

P235/65R16	19	0.56	23	0.67
P255/65R16	21	0.62	25	0.74
P265/65R16	23	0.68	28	0.82
P275/65R16	24	0.71	29	0.85
P285/65R16	25	0.74	30	0.89
P295/65R16	26	0.77	31	0.92
LT375/65-16	38	1.12	46	1.34
T135/60-16	9	0.27	11	0.32
175/60-16	12	0.35	14	0.42
185/60-16	13	0.38	16	0.46
195/60-16	14	0.41	17	0.49
P205/60R16	15	0.44	18	0.53
P215/60-16	16	0.47	19	0.56
P225/60-16	17	0.50	20	0.60
P235/60R16	18	0.53	22	0.64
P255/60R16	21	0.62	25	0.74
P265/60-16	22	0.65	26	0.78
275/60R16	23	0.68	28	0.82
(P, LT)285/60R16	24	0.71	29	0.85
365/60R16	34	1.01	41	1.21
185/55-16	15	0.38	18	0.46
P195/55R16	14	0.41	17	0.49
P205/55R16	15	0.44	18	0.53
P215/55R16	16	0.47	19	0.56
P225/55-16	17	0.50	20	0.60
P235/55R16	18	0.53	22	0.64
245/55-16	19	0.56	23	0.67
LT315/55R16	27	0.80	32	0.96
LT345/55R16	31	0.92	37	1.10
LT375/55-16	36	1.06	43	1.27
195/50-16	13	0.38	16	0.46
205/50-16	14	0.41	17	0.49
215/50-16	15	0.44	18	0.53
225/50-16	16	0.47	19	0.56
235/50-16	17	0.50	20	0.60
245/50-16	18	0.53	22	0.64
255/50-16	19	0.56	23	0.67
265/50-16	21	0.62	25	0.74
275/50-16	22	0.65	26	0.78
295/50-16	24	0.71	29	0.85
205-16LT	17	0.50	20	0.60
6.00-16LT	14	0.41	17	0.49
6.50-16LT	15	0.44	18	0.53
7.00-16LT	19	0.56	23	0.67
7.50-16LT	20	0.59	24	0.71
8.25-16LT	22	0.65	26	0.78

16.5" Rims	9.00-16LT	26	0.77	31	0.92
	8.00-16.5LT	16	0.47	19	0.56
	8.75-16.5LT	18	0.53	22	0.64
	9.50-16.5LT	21	0.62	25	0.74
	10.00-16.5LT	22	0.65	26	0.78
	12.00-16.5LT	28	0.83	34	1.00
	31x10.5R16.5LT	23	0.68	28	0.82
	33x12.5R16.5LT	30	0.89	36	1.07
	35x12.5-16.5LT	31	0.92	37	1.10
	36x12.5-16.5LT	32	0.95	38	1.14
	37x14.5-16.5	38	1.12	46	1.34
17" Rims	225/95-17	23	0.68	28	0.82
	T135/90-17	10	0.30	12	0.36
	T145/90-17	11	0.33	13	0.40
	T155/90-17	12	0.35	14	0.42
	T165/90-17	13	0.38	16	0.46
	T175/90-17	14	0.41	17	0.49
	T125/80-17	9	0.27	11	0.32
	T135/80-17	10	0.30	12	0.36
	T145/80-17	11	0.33	13	0.40
	T155/80-17	12	0.35	14	0.42
	T165/80-17	12	0.35	14	0.42
	LT235/80R17	21	0.62	25	0.74
	LT255/80-17	24	0.71	29	0.85
	205/75-17	17	0.50	20	0.60
	225/75-17	19	0.56	23	0.67
	235/75-17	20	0.59	24	0.71
	245/75-17	22	0.65	26	0.78
	P255/75R17	23	0.68	28	0.82
	LT285/75-17	27	0.80	32	0.96
	LT295/75-17	29	0.86	35	1.03
	T125/70-17	8	0.24	10	0.29
	T135/70-17	10	0.30	12	0.36
	T145/70-17	10	0.30	12	0.36
	T155/70-17	11	0.33	13	0.40
	215/70-17	18	0.53	22	0.64
	225/70-17	19	0.56	23	0.67
	235/70-17	20	0.59	24	0.71
	(P, LT)245/70R17	21	0.62	25	0.74
	255/70-17	23	0.68	28	0.82
	(P, LT)265/70R17	24	0.71	29	0.85
	LT275/70R17	25	0.74	30	0.89
	LT285/70R17	27	0.80	32	0.96
	LT295/70-17	28	0.83	34	1.00

LT305/70R17	30	0.89	36	1.07
LT315/70R17	31	0.92	37	1.10
LT325/70-17	33	0.98	40	1.18
355/70-17	37	1.09	44	1.31
215/65-17	17	0.50	20	0.60
P225/65R17	18	0.53	22	0.64
P235/65R17	20	0.59	24	0.71
(P, LT)245/65R17	21	0.62	25	0.74
P255/65R17	22	0.65	26	0.78
P265/65R17	23	0.68	28	0.82
P275/65R17	24	0.71	29	0.85
P285/65R17	26	0.77	31	0.92
305/65-17	29	0.86	35	1.03
T185/60-17	13	0.38	16	0.46
P215/60R17	17	0.50	20	0.60
P225/60R17	18	0.53	22	0.64
(P, LT)235/60R17	19	0.56	23	0.67
P255/60R17	21	0.62	25	0.74
265/60-17	23	0.68	28	0.82
P275/60R17	24	0.71	29	0.85
LT285/60-17	25	0.74	30	0.89
305/60-17	28	0.83	34	1.00
325/60-17	30	0.89	36	1.07
LT285/60-17	25	0.74	30	0.89
175/55-17	14	0.41	17	0.49
P215/55R17	17	0.50	20	0.60
P225/55R17	18	0.53	22	0.64
P235/55R17	19	0.56	23	0.67
P255/55R17	21	0.62	25	0.74
P265/55R17	22	0.65	26	0.78
P275/55R17	23	0.68	28	0.82
LT345/55R17	32	0.95	38	1.14
205/50-17	15	0.44	18	0.53
215/50-17	15	0.44	18	0.53
225/50-17	16	0.47	19	0.56
235/50-17	18	0.53	22	0.64
245/50-17	18	0.53	22	0.64
255/50-17	20	0.59	24	0.71
33x12.50R17LT	29	0.86	35	1.03
35x12.50R17LT	31	0.92	37	1.10
36x14.50R17LT	37	1.09	44	1.31
37x12.50R17LT	33	0.98	40	1.18
37x13.50R17LT	36	1.06	43	1.27
38x13.50R17LT	37	1.09	44	1.31
38x14.50R17LT	39	1.15	47	1.38
38x15.50R17LT	41	1.21	49	1.45

	39x13.50R17LT	37	1.09	44	1.31
	40x13.50R17LT	38	1.12	46	1.34
	40x14.50R17LT	42	1.24	50	1.49
	42x14.50R17LT	44	1.30	53	1.56
17.5" Rims					
	225/90-17.5LT	21	0.62	25	0.74
	205/80-17.5LT	18	0.53	22	0.64
	225/80-17.5LT	20	0.59	24	0.71
	195/70-17.5LT	16	0.47	19	0.56
	205/70-17.5LT	17	0.50	20	0.60
	215/70-17.5LT	18	0.53	22	0.64
	195/60-17.5LT	15	0.44	18	0.53
	205/60-17.5LT	16	0.47	19	0.56
	225/60-17.5LT	18	0.53	22	0.64
	7-17.5LT	16	0.47	19	0.56
	8-17.5LT	17	0.50	20	0.60
	37x12.5-17.5	32	0.95	38	1.14
18" Rims					
	T155/90-18	12	0.35	14	0.42
	T165/90-18	13	0.38	16	0.46
	T175/90-18	15	0.44	18	0.53
	195/85-18LT	17	0.50	20	0.60
	215/85-18LT	20	0.59	24	0.71
	T135/80-18	10	0.30	12	0.36
	T145/80-18	11	0.33	13	0.40
	T155/80-18	12	0.35	14	0.42
	T175/80-18	14	0.41	17	0.49
	LT285/75-18	28	0.83	34	1.00
	LT305/75-18	31	0.92	37	1.10
	T135/70-18	10	0.30	12	0.36
	T155/70-18	11	0.33	13	0.40
	215/70-18	18	0.53	22	0.64
	245/70-18	22	0.65	26	0.78
	P255/70R18	24	0.71	29	0.85
	P265/70R18	25	0.74	30	0.89
	LT275/70-18	26	0.77	31	0.92
	LT285/70-18	28	0.83	34	1.00
	LT295/70-18	29	0.86	35	1.03
	LT305/70-18	31	0.92	37	1.10
	LT315/70-18	32	0.95	38	1.14
	T145/65-18	10	0.30	12	0.36
	P235/65R18	20	0.59	24	0.71
	245/65-18	21	0.62	25	0.74
	255/65-18	23	0.68	28	0.82
	265/65-18	24	0.71	29	0.85
	P275/65R18	25	0.74	30	0.89

LT285/65R18	27	0.80	32	0.96
LT295/65-18	28	0.83	34	1.00
LT305/65-18	29	0.86	35	1.03
LT325/65-18	32	0.95	38	1.14
LT395/65-18	44	1.30	53	1.56
T135/60-18	9	0.27	11	0.32
LT205/60-18	16	0.47	19	0.56
P225/60R18	18	0.53	22	0.64
235/60-18	19	0.56	23	0.67
P245/60R18	21	0.62	25	0.74
255/60-18	22	0.65	26	0.78
P265/60R18	23	0.68	28	0.82
P275/60R18	24	0.71	29	0.85
P285/60R18	26	0.77	31	0.92
LT305/60-18	28	0.83	34	1.00
LT325/60-18	31	0.92	37	1.10
LT345/60-18	34	1.01	41	1.21
LT375/60-18	39	1.15	47	1.38
T185/55-18	14	0.41	17	0.49
205/55-18	16	0.47	19	0.56
215/55-18	17	0.50	20	0.60
225/55-18	18	0.53	22	0.64
P235/55R18	19	0.56	23	0.67
245/55-18	20	0.59	24	0.71
P255/55R18	22	0.65	26	0.78
P265/55R18	23	0.68	28	0.82
P275/55R18	24	0.71	29	0.85
P285/55R18	25	0.74	30	0.89
225/50-18	17	0.50	20	0.60
235/50-18	18	0.53	22	0.64
245/50-18	19	0.56	23	0.67
255/50-18	21	0.62	25	0.74
285/50-18	23	0.68	28	0.82
LT375/50-18	36	1.06	43	1.27
33x12.5R18LT	29	0.86	35	1.03
35x12.50R18LT	31	0.92	37	1.10
35x13.50R18LT	34	1.01	41	1.21
36x13.50R18LT	35	1.04	42	1.25
36x14.50R18LT	374	1.09	449	1.31
37x12.50R18LT	33	0.98	40	1.18
37x13.50R18LT	36	1.06	43	1.27
38x14.50R18LT	39	1.15	47	1.38
38x15.50R18LT	41	1.21	49	1.45
40x14.50R18LT	42	1.24	50	1.49
19" Rims				
255/60-19	23	0.68	28	0.82

235/55-19	19	0.56	23	0.67
245/55-19	21	0.62	25	0.74
255/55-19	22	0.65	26	0.78
275/55-19	24	0.71	29	0.85
235/50-19	19	0.56	23	0.67
245/50-19	20	0.59	24	0.71
255/50-19	21	0.62	25	0.74
265/50-19	22	0.65	26	0.78
20" Rims				
LT325/75-20	36	1.06	43	1.27
LT315/70-20	34	1.01	41	1.21
LT275/65-20	27	0.80	32	0.96
LT285/65-20	28	0.83	34	1.00
LT295/65-20	30	0.89	36	1.07
245/60-20	22	0.65	26	0.78
LT265/60-20	25	0.74	30	0.89
P275/60R20	26	0.77	31	0.92
LT285/60-20	28	0.83	34	1.00
LT295/60-20	29	0.86	35	1.03
LT305/60-20	30	0.89	36	1.07
LT315/60-20	32	0.95	38	1.14
LT325/60-20	33	0.98	40	1.18
LT355/60-20	37	1.09	44	1.31
235/55-20	21	0.62	25	0.74
255/55-20	22	0.65	26	0.78
P275/55R20	26	0.77	31	0.92
LT285/55-20	27	0.80	32	0.96
LT295/55-20	29	0.86	35	1.03
LT305/55-20	30	0.89	36	1.07
LT335/55-20	34	1.04	41	1.25
245/50-20	20	0.59	24	0.71
255/50-20	22	0.65	26	0.78
265/50-20	23	0.68	28	0.82
275/50-20	24	0.71	29	0.85
285/50-20	25	0.74	30	0.89
LT315/50-20	30	0.89	36	1.07
LT325/50-20	31	0.92	37	1.10
33x12.50R20LT	29	0.86	35	1.03
35x12.50R20LT	31	0.92	37	1.10
37x12.50R20LT	33	0.96	40	1.15
37x13.50R20LT	36	1.06	43	1.27
38x14.50R20LT	39	1.15	47	1.38
40x13.50R20LT	38	1.12	46	1.34
40x14.50R20LT	42	1.24	50	1.49
42x13.50R20LT	44	1.30	53	1.56
22" Rims				

	LT325/60-22	32	1.04	38	1.25
	LT325/55-22	34	1.01	41	1.21
	LT335/55-22	36	1.06	43	1.27
	275/50-22	26	0.77	31	0.92
	LT285/50-22	28	0.83	34	1.00
	LT305/50-22	30	0.89	36	1.07
	LT315/50-22	32	0.95	38	1.14
	LT325/50-22	33	0.98	40	1.18
	33x12.50R22LT	29	0.86	35	1.03
	35x12.50R22LT	31	0.92	37	1.10
	37x13.50R22LT	36	1.06	43	1.27
22.5" Rims					
	LT235/80-22.5	25	0.74	30	0.89
	LT255/80-22.5	28	0.83	34	1.00
	LT275/80-22.5	32	0.95	38	1.14
	LT315/80-22.5	38	1.12	46	1.34
	LT255/70-22.5	26	0.77	31	0.92
24" Rims					
	37x13.50R24LT	36	1.06	43	1.27
	38x13.50R24LT	37	1.09	44	1.31